

# D22-XXX290/590A

Door type: door panel width mm ( $X_{total}$ ), max opening mm


D22-XXX290A: 1000 - 3000 mm, 828 - 2828 mm

D22-XXX590A: 3100 - 6000 mm, 2928 - 5828 mm

XXX= Height on posts



Total width of door (290A)=6060 mm (max)= $Y1+X1+X2+Y2+160$   
 Total width of door (590A)=12320 mm (max)= $Y1+Y2+X1+X2+..+320$



Locks	A (lock to post)
L20-05-0 (Snap lock)	-
L20-05-2 (Hitch lock)	105 mm
XIT-L/R01-301 (Cylinder lock)	-
XIT-L/R14-301 (Slam shut)	215 mm
XIT-L/R09-301 (Electric)	-
L66-20/21-L/R (X-lock)	190 mm
B-135 (MGB)	-
B-136 (MGB Escape Release)	135 mm

<b>Max opening = X (total panel width) - 172 mm</b> ( $172\text{ mm} = (\text{door accessories})^* + 50 + 50\text{ mm}$ )
(P) Post to post opening = $X$ (total panel width) - 100 mm** (**= panel in closed position overlapping posts ( $100\text{ mm} = 50 + 50$ ))
Max opening is affected by "A" mm with lock (without door accessories*)

Item No.	Art No.	Qty.	
		290A	590A
X (1,2..)	322-XXXXXX	2	4
Y (1,2..)	W322-XXXXXX	2	4
Z	P11-XXX	4	6