


D42-XXX290/590A

Door type: door panel width mm (X_{total}), max opening mm
 D42-XXX290A: 1000 - 3000 mm, 873,5 - 2873,5 mm
 D42-XXX590A: 3100 - 6000 mm, 2973,5 - 5873,5 mm
 XXX= Height on posts



Total width of door (290A)=6100 mm (max)= $Y1+X1+X2+Y2+300$
 Total width of door (590A)=12300 mm (max)= $Y1+Y2+X1+X2+..+500$



Locks	A (lock to post)
L20-05-0 (Snap lock)	-
L20-05-2 (Hitch lock)	105 mm
XIT-L/R01-301 (Cylinder lock)	-
XIT-L/R14-301 (Slam shut)	215 mm
XIT-L/R09-301 (Electric)	-
L66-20/21-L/R (X-lock)	190 mm
B-135 (MGB)	-
B-136 (MGB Escape Release)	135 mm

Max opening = X (total panel width) - 126,5 mm (126,5 mm= (door accessories)* + 34,5 + 40 mm)
(P) Post to post opening = X (total panel width) - 40 mm** (**= panel in closed position overlapping posts (40 mm= 20 + 20))
50#= Dimensions in door closed position
Max opening is affected by "A" mm with lock (without door accessories*)

Item No.	Art No.	Qty.	
		290A	590A
X (1,2..)	322-XXXXXX	2	4
Y (1,2..)	W322-XXXXXX	2	4
Z	P13-XXX	4	6